

2009 GMC CANYON SPECIFICATIONS

PROFESSIONAL GRADE



CANYON / STANDARD AND AVAILABLE FEATURES

TRIM LEVELS	REG/EXT WT	REG/EXT SLE-1	CREW SLE-1	REG/EXT SLE-2	CREW SLE-2	EXT/CREW SLE-3	EXT/CREW SLT
MECHANICAL ↘ ↙							
INSTA-TRAC TRANSFER CASE Electronic shift with dash-mounted controls. 4WD models only.	S	S	S	S	S	—	S
EATON AUTOMATIC LOCKING REAR DIFFERENTIAL	A	A	A	A	A	A	S
125-AMP ALTERNATOR	S	S	S	S	S	—	S
145-AMP ALTERNATOR Required and included with Vortec 5.3L V-8 (LH8) engine	—	A	A	A	A	S	A
HEAVY-DUTY MAINTENANCE-FREE BATTERY With 590 cold-cranking amps and rundown protection	—	S	S	S	S	S	S
REAR AXLE, 3.73 RATIO Refer to Engine and Axle section for compatibility requirements	S	S	S	S	S	—	S
REAR AXLE, 3.42 RATIO Not available on Regular Cab models. Requires Vortec 5.3L V-8 SFI engine.	—	A	A	A	A	S	A
REAR AXLE, 4.10 RATIO Included and only available with Z71 High-Stance Off-Road Suspension Package and Vortec 5.3L V-8 (LH8) engine on 4WD Extended and Crew Cab models. Not available on Regular Cab WT model.	—	A	A	A	A	—	A
FRONT UNDERBODY SHIELD 4WD models only	S	S	S	S	S	—	S
POWER RACK-AND-PINION STEERING	S	S	S	S	S	S	S
BRAKES Front disc/rear drum with 4-wheel antilock	S	S	S	S	S	S	S
STABILITRAK Stability control system	S	S	S	S	S	S	S
FRONT SUSPENSION Independent; with coil springs, standard on 2WD models; with torsion bars, standard on 4WD models and on 2WD models with ZQ8 Sport Suspension Package and Vortec 5.3L V-8 (LH8) or Z71 High-Stance Off-Road Suspension Package	S	S	S	S	S	S	S
REAR SUSPENSION Semifloating axle with 2-stage multileaf springs	S	S	S	S	S	S	S
Z85 HEAVY-DUTY SUSPENSION PACKAGE	S	S	S	S	S	—	S
ZQ8 SPORT SUSPENSION PACKAGE	—	—	—	—	—	S	—
Z71 HIGH-STANCE OFF-ROAD SUSPENSION PACKAGE Includes 4 17" chrome-clad wheels, P265/70R17 on-/off-road blackwall tires, front torsion bars, 28mm front stabilizer bar, urethane jounce bumpers, large wheel flares and automatic locking rear differential. Requires Vortec 3.7L I-5 VVT (LLR) or Vortec 5.3L V-8 (LH8) engine. Not available on 2WD Regular Cab models.	—	A	A	A	A	—	A
TRAILERING EQUIPMENT Includes trailer hitch and 7-wire harness	A	A	A	A	A	A	A
ENGINE BLOCK HEATER	A	A	A	A	A	A	A
SEATING ↘ ↙							
SLE DELUXE CLOTH SEATING	S	S	S	S	S	S	—
SLE DELUXE CLOTH FRONT 60/40 SPLIT-BENCH SEATS With manual recliners, integral outboard head restraints, armrest with integral storage and dual cupholders	S	S	S	A	A	—	—

A _ AVAILABLE S _ STANDARD — _ NOT AVAILABLE

TRIM LEVELS	REG/EXT WT	REG/EXT SLE-1	CREW SLE-1	REG/EXT SLE-2	CREW SLE-2	EXT/CREW SLE-3	EXT/CREW SLT
FRONT 60/40 SPLIT-BENCH SEATS With vinyl, integral outboard head restraints and dual cupholders	A	—	—	—	—	—	—
FRONT BUCKET SEATS WITH SLE DELUXE CLOTH Includes integral head restraint, manual recliners, center floor console with storage and armrest. On SLE-3 model, includes sport bolsters, included and only available with ZQ8 Sport Suspension Package. Requires SLE Deluxe trim.	—	—	—	S	S	S	—
LEATHER-APPOINTED FRONT BUCKET SEATS With 8-way power driver and 6-way power front passenger seat adjusters, heated driver and front passenger seats with power lumbar control and adjustable head restraints	—	—	—	—	—	A	S
REAR SEATS Driver- and passenger-side, forward-facing, flat-folding, includes rear-seat storage compartment. Extended Cab models only. On WT models, not included with rubberized vinyl floor covering.	S	S	—	S	—	S	S
SECOND-ROW SEATS Flat-folding. Crew Cab models only.	—	—	S	—	S	S	S
INSTRUMENTS AND CONTROLS ↘ ↙							
ANALOG INSTRUMENTATION With speedometer, odometer with trip odometer, fuel level, engine temperature, tachometer and Driver Information Center	S	S	S	S	S	S	S
WARNING TONES Headlamp on, key-in-ignition, driver safety belt unfasten, turn signal on and critical Driver Information Center active	S	S	S	S	S	S	S
TILT-WHEEL STEERING COLUMN	S	S	S	S	S	S	S
LEATHER-WRAPPED STEERING WHEEL	S	S	S	S	S	S	S
CRUISE CONTROL	S	S	S	S	S	S	S
INTERIOR DETAILS ↘ ↙							
MIRROR Inside rearview mirror with manual day/night adjustment	S	S	S	S	S	S	—
AUTO-DIMMING INSIDE REARVIEW MIRROR With compass and outside temperature display. On SLE-1 Regular and Extended Cab models, requires Power Convenience Package.	—	A	A	A	A	A	S
CHROME-FINISH INTERIOR ACCENTS Including door handles, air outlets, accents on front upper door speaker grilles, uplevel instrument cluster bezel and front-door sill plates (Crew Cab models only)	—	—	S	—	S	S	S
RUBBERIZED VINYL FLOOR COVERING	A	—	—	—	—	—	—
FLOOR MATS Rubberized vinyl front and rear. On WT models, included and only available with color-keyed carpeted floor covering.	S	S	S	S	S	S	S
AIR CONDITIONING Single-zone manual	S	S	S	S	S	S	S
MANUAL DRIVER AND FRONT PASSENGER WINDOWS AND MANUAL DOOR LOCKS	S	S	S	—	—	—	—

TRIM LEVELS

REG/EXT WT
REG/EXT SLE-1
CREW SLE-1
REG/EXT SLE-2
CREW SLE-2
EXT/CREW SLE-3
EXT/CREW SLT

INTERIOR DETAILS (CONT'D) ↘ ↘

POWER SUNROOF Tilt-sliding. Not available on Regular Cab models.	—	A	A	A	A	A	A
REAR-SLIDING WINDOW	—	A	A	S	S	S	S
POWER CONVENIENCE PACKAGE With power windows, power door locks with lock-out protection, outside power-adjustable mirrors and remote keyless entry	—	A	S	S	S	S	S

ENTERTAINMENT / COMMUNICATION / NAVIGATION ↘ ↘

AM/FM STEREO With seek-and-scan and digital clock. On WT models, upgradeable to AM/FM stereo with CD/MP3 player. On SLE-1 Crew Cab models, included and only available with Crew Cab Value Option Package.	S	—	A	—	—	—	—
AM/FM STEREO WITH CD/MP3 PLAYER Seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS),* speed-compensated volume, 4 speakers on Regular Cab and 6 speakers on Extended and Crew Cab	A	S	S	S	S	S	S
XM SATELLITE RADIO** With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you—coast-to-coast, and in digital-quality sound. 3 trial months—no obligation. Not available with AM/FM stereo.	A	S	S	S	S	S	S
ONSTAR† One year of Safe & Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (if equipped with power door locks), OnStar Vehicle Diagnostics, Hands-Free Calling, Accident Assist and Remote Horn and Lights.	S	S	S	S	S	S	S

EXTERIOR STYLING AND FUNCTIONALITY ↘ ↘

FOG LAMPS Front halogen	—	S	S	S	S	S	S
DAYTIME RUNNING LAMPS With automatic exterior lamp control	S	S	S	S	S	S	S
WIPERS Front intermittent, with washers	S	S	S	S	S	S	S
AIR DAM Ebony	S	S	S	S	S	S	S
RECOVERY HOOKS 2 front, frame-mounted; standard on WT 4WD models only; included on 4WD models with front fascia, Dark Smoke Gray	S	S	S	S	S	S	S
FRONT FASCIA Dark Smoke Gray	S	—	—	—	—	—	—
CHROME BUMPERS Front and rear with Dark Smoke Gray pad on rear step-style bumper	—	S	S	S	S	S	S
WHEEL FLARES Front and rear, large, body-color. Included and only available with Z71 High-Stance Off-Road Suspension Package. Not available on Regular Cab models.	—	A	A	A	A	—	A

REG/EXT WT
REG/EXT SLE-1
CREW SLE-1
REG/EXT SLE-2
CREW SLE-2
EXT/CREW SLE-3
EXT/CREW SLT

BODYSIDE MOLDINGS Color-keyed; Crew Cab models only	—	—	S	—	S	S	S
SOLAR-RAY DEEP-TINTED GLASS All windows except light-tinted glass on windshield, driver- and front passenger-side glass	A	S	S	S	S	S	S
MIRRORS Outside, manual-folding	S	S	—	—	—	—	—
MIRRORS Outside power-adjustable, manual-folding mirrors. On SLE-1 Regular and Extended Cab models, included and only available with Power Convenience Package.	—	A	S	S	S	S	S
FLEETSIDE PICKUP BOX All-welded steel with double-wall construction and corrosion protection with 4 cargo tie-downs, 2-position tailgate and bedliner	S	S	S	S	S	S	S
TIRE Compact spare	S	S	S	S	S	—	S

SAFETY AND SECURITY ↘ ↘

AIR BAGS†† Frontal, driver and right-front passenger with Passenger Sensing System	S	S	S	S	S	S	S
FRONT AND REAR HEAD CURTAIN SIDE-IMPACT AIR BAGS†† With Passenger Sensing System, outboard seating positions	A	A	A	A	A	A	A
VEHICLE THEFT-DETERRENT SYSTEM With PASSLock	S	S	S	S	S	S	S
TIRE PRESSURE MONITOR (Does not monitor spare)	S	S	S	S	S	S	S

*RDS functions only where stations broadcast RDS information.
 **XM Radio requires a subscription, sold separately after the first 90 days. Not available in Alaska or Hawaii. For more information, visit gm.xmradio.com.
 † OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. Visit onstar.com or call 1-888-4ONSTAR (466-7827) for details and system limitations.
 †† Always use safety belts and the correct child restraint for your child's age and size. Even in vehicles equipped with the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with a passenger air bag. See the Owner's Manual and child safety seat instructions for more safety information.

AVAILABLE FEATURES ↘ ↘



FOG LAMPS
Front halogen fog lamps provide added visibility when you need it.

RECOVERY HOOKS
Frame-mounted recovery hooks are engineered for rugged durability.

CANYON

SEATING AND TRIM

MODELS	AVAILABLE SEATS AND COLORS		
	SEAT	MATERIAL	AVAILABLE COLORS
WT	60/40 Split Bench	Cloth (standard), Vinyl (available)	Ebony Cloth /Medium Pewter Vinyl
SLE	60/40 Split Bench or Reclining High-Back Buckets	Deluxe Cloth	Light Tan or Ebony
SLT	Reclining Buckets*	Leather-appointed	Light Tan or Ebony

WHEEL AVAILABILITY

CAB STYLE: DRIVETRAIN:	REGULAR CAB		EXTENDED CAB			CREW CAB		
	2WD	4WD	2WD	4WD	2WD/Z85/V-8**	2WD	4WD	2WD/Z85/V-8**
Z85 SUSPENSION PACKAGE	↘	↘	↘	↘	↘	↘	↘	↘
WT Standard	PP4	PP3	PP4	PP3	—	—	—	—
SLE Standard	PP2	PP1	PP2	PP1	PP1	PP2	PP1	PP1
SLE Available	RP1	R02	RP1	R02	R02	RP1	R02	R02
SLT Standard	—	—	RP1	R02	R02	RP1	R02	R02
Z71 SUSPENSION PACKAGE								
SLE Standard	—	—	R03	R03	R03	R03	R03	R03
SLT Standard	—	—	R03	R03	R03	R03	R03	R03
ZQ8 SUSPENSION PACKAGE								
SLE Standard	—	—	P67	—	—	P67	—	—

CANYON / WHEELS†



PP4
 □ 16"
 □ STEEL



PP1
 □ 16"
 □ ALUMINUM



RP1
 □ 16"
 □ CHROME CLAD



R03
 □ 17"
 □ CHROME CLAD



PP3
 □ 16"
 □ STEEL



PP2
 □ 16"
 □ ALUMINUM



R02
 □ 16"
 □ CHROME CLAD



P67
 □ 18"
 □ ALUMINUM WITH BRIGHT FINISH

*Extended or Crew Cab models only. **Not available with WT trim. †Use only GM-approved tire and wheel combinations. For important tire and wheel information, go to gmaccessorieszone.com or see your dealer for details. ††Available with WT trim.

EXTERIOR COLOR



SONOMA RED METALLIC



ONYX BLACK



SUMMIT WHITE**



DARK STEEL GRAY METALLIC**



FIRE RED**



AQUA BLUE MARINE



SILVER BIRCH METALLIC**



NAVY BLUE**




RED-ORANGE METALLIC EXTRA-COST COLOR



CARBON BLACK METALLIC** EXTRA-COST COLOR

INTERIOR TRIM

CLOTH



EBONY DELUXE
Standard with WT, SL and SLE Trim



LIGHT TAN DELUXE
Standard with SL and SLE Trim

VINYL




MEDIUM PEWTER VINYL
Available with WT Trim

LEATHER



EBONY
Standard on Extended and Crew Cab SLT
Available on Extended and Crew Cab SLE-3



LIGHT TAN
Standard on Extended and Crew Cab SLT
Available on Extended and Crew Cab SLE-3

CANYON / SPECIFICATIONS

ENGINE SPECIFICATIONS	ENGINES		
	VORTEC 2.9L I-4 VVT (LLV)	VORTEC 3.7L I-5 VVT (LLR)	VORTEC 5.3L V-8 (LH8)
	↘	↘	↘
CAPACITY	2.9 Liters (178 cu. in.)	3.7 Liters (223 cu. in.)	5.3 Liters (325 cu. in.)
BORE AND STROKE (MM)	95.5 x 102.0	95.5 x 102.0	96.0 x 92.0
COMPRESSION RATIO	10:1	10:1	9.9:1
VALVE TRAIN	Double overhead cam, 4 valves per cylinder, variable valve timing	Double overhead cam, 4 valves per cylinder, variable valve timing	Overhead valve, two valves per cylinder
FUEL DELIVERY	Sequential fuel injection	Sequential fuel injection	Sequential fuel injection
SAE NET HORSEPOWER @ RPM AUTOMATIC TRANSMISSION	185 @ 5600	242 @ 5600	300 @ 5200
SAE NET TORQUE @ RPM (LB-FT)	190 @ 2800	242 @ 4600	320 @ 4000

ENGINE / TRANSMISSION AVAILABILITY	ENGINES		
	VORTEC 2.9L I-4 VVT (LLV) 3.73 REAR AXLE RATIO	VORTEC 3.7L I-5 VVT (LLR) 3.73 REAR AXLE RATIO	VORTEC 5.3L V-8 (LH8) 3.42 REAR AXLE RATIO*
	↘	↘	↘
REGULAR CAB WT/1SA SLE-1/3SA	S with 5-speed manual S with 5-speed manual	A with 4-speed automatic A with 4-speed automatic	— —
EXTENDED CAB WT/1SA SLE-1/3SA SLE-2/3SB SLE-3/3SC SLT/4SA	S with 5-speed manual S with 5-speed manual — — —	A with 4-speed automatic A with 4-speed automatic S with 4-speed automatic — S with 4-speed automatic	— A with 4-speed automatic A with 4-speed automatic S with 4-speed automatic A with 4-speed automatic
CREW CAB SLE-1/3SA 2WD SLE-1/3SA 4WD SLE-2/3SB SLE-3/3SC SLT/4SA	S with 4-speed automatic — — — —	A with 4-speed automatic S with 4-speed automatic S with 4-speed automatic — S with 4-speed automatic	A with 4-speed automatic A with 4-speed automatic A with 4-speed automatic S with 4-speed automatic A with 4-speed automatic

STANDARD TECHNICAL DATA	CAB/DRIVE TYPE					
	REGULAR CAB 2WD	REGULAR CAB 4WD	EXTENDED CAB 2WD	EXTENDED CAB 4WD	CREW CAB 2WD	CREW CAB 4WD
	↘	↘	↘	↘	↘	↘
BRAKES	Front disc/rear drum	Front disc/rear drum	Front disc/rear drum	Front disc/rear drum	Front disc/rear drum	Front disc/rear drum
STEERING	Power rack-and-pinion	Power rack-and-pinion	Power rack-and-pinion	Power rack-and-pinion	Power rack-and-pinion	Power rack-and-pinion
FUEL TANK CAPACITY APPROX. GALS.	19.5	19.5	19.5	19.5	19.5	19.5
BATTERY COLD-CRANKING AMPS	590	590	590	590	590	590
ALTERNATOR AMPS	125	125	125	125	125	125
GROSS VEHICLE WEIGHT RATING GVWR LBS**	4850	5150	5000	5300	5000	5300
MAXIMUM PAYLOAD CAPACITY LBS†	1422	1403	1379	1360	1250	1118

FRONT SUSPENSION:	CAB/DRIVE TYPE					
	REGULAR CAB 2WD	REGULAR CAB 4WD	EXTENDED CAB 2WD	EXTENDED CAB 4WD	CREW CAB 2WD	CREW CAB 4WD
Z85 Heavy-Duty 2WD: Independent coil springs; 4WD: Independent torsion bar with stabilizer bar; Z71 High-Stance Off-Road 2WD & 4WD: Independent torsion bar with stabilizer bar	↘	↘	↘	↘	↘	↘
AXLE CAPACITY	2633	2850	2633	2850	2633	2850
SPRING CAPACITY	2633	2850	2633	2850	2633	2850

A _ AVAILABLE S _ STANDARD — _ NOT AVAILABLE

REAR SUSPENSION:	CAB / DRIVE TYPE					
Semifloating axle with two-stage multileaf springs	REGULAR CAB 2WD	REGULAR CAB 4WD	EXTENDED CAB 2WD	EXTENDED CAB 4WD	CREW CAB 2WD	CREW CAB 4WD
	↘	↘	↘	↘	↘	↘
AXLE CAPACITY	2900	2900	2900	2900	2900	2900
SPRING CAPACITY	2900	2900	2900	2900	2900	2900

GROSS COMBINED WEIGHT RATINGS** (GCWR) Based on engine and rear axle ratio	REAR AXLE RATIO WITH MANUAL TRANSMISSION				REAR AXLE RATIO WITH AUTOMATIC TRANSMISSION		
	↘				↘		
GROSS COMBINED WEIGHT RATING (LBS)	6000				7000	9800	10,400
VORTEC 2.9L I-4 VVT (LLV)	3.73				3.73	—	—
VORTEC 3.7L I-5 VVT (LLR)	—				—	3.73	—
VORTEC 5.3L V-8 (LH8)	—				—	—	3.42 / 3.73 / 4.10

TRAILERING SPECIFICATIONS††	MANUAL TRANSMISSION RATINGS WITH BALL HITCH				AUTOMATIC TRANSMISSION RATINGS WITH BALL HITCH			
	VORTEC 2.9L I-4 VVT (LLV)		VORTEC 2.9L I-4 VVT (LLV)		VORTEC 3.7L I-5 VVT (LLR)		VORTEC 5.3L V-8 (LH8)	
	AXLE RATIO	MAX. TRAILER WEIGHT (LBS)	AXLE RATIO	MAX. TRAILER WEIGHT (LBS)	AXLE RATIO	MAX. TRAILER WEIGHT (LBS)	AXLE RATIO	MAX. TRAILER WEIGHT (LBS)
	↘	↘	↘	↘	↘	↘	↘	↘
REGULAR CAB 2WD	3.73	2400	3.73	3400	3.73	4000	—	—
EXTENDED CAB 2WD	3.73	2200	3.73	3200	3.73	5500	3.42 / 3.73	6000
CREW CAB 2WD	3.73	2100	3.73	3000	3.73	5500	3.42 / 3.73	6000
REGULAR CAB 4WD	3.73	2100	3.73	3100	3.73	4000	—	—
EXTENDED CAB 4WD	3.73	1900	3.73	2900	3.73	5500	3.42 / 4.10	6000
CREW CAB 2WD	—	—	—	—	3.73	5500	3.42 / 4.10	6000

EXTERIOR DIMENSIONS (INCHES)	CAB/DRIVE TYPE					
	REGULAR CAB 2WD	REGULAR CAB 4WD	EXTENDED CAB 2WD	EXTENDED CAB 4WD	CREW CAB 2WD	CREW CAB 4WD
	↘	↘	↘	↘	↘	↘
HEIGHT	65.5	67.6	65.5	67.6	65.2	67.9
OVERALL LENGTH	192.4	192.4	207.1	207.1	207.1	207.1
WHEELBASE	111.3	111.3	126	126	126	126

CARGO DIMENSIONS (INCHES)	CAB/DRIVE TYPE					
	REGULAR CAB 2WD	REGULAR CAB 4WD	EXTENDED CAB 2WD	EXTENDED CAB 4WD	CREW CAB 2WD	CREW CAB 4WD
	↘	↘	↘	↘	↘	↘
WIDTH	67.6	68.6	67.6	68.6	67.6	68.6
INSIDE WIDTH AT FLOOR	57.2	57.2	57.2	57.2	57.2	57.2
BOX LENGTH AT FLOOR	72.8	72.8	72.8	72.8	61.1	61.1

*With 5.3L V-8 and Z71 High-Stance Off-Road Suspension Package, 2WD models get 3.73 rear axle ratio; 4WD models get 4.10 rear axle ratio. **When properly equipped; includes weight of vehicle, passengers, cargo and equipment.
†Maximum payload capacity includes weight of driver, passengers, optional equipment and cargo. ††Maximum trailer weight ratings are calculated assuming a base vehicle, except for any option(s) necessary to achieve the rating, plus driver. The weight of other optional equipment, passengers and cargo will reduce the maximum trailer weight your vehicle can tow. See your GMC dealer for details.



THREE POWERFUL BRANDS UNDER ONE ROOF

BUICK. GMC. PONTIAC. THREE DISTINCT BRANDS COMING TOGETHER TO CREATE THE ULTIMATE COLLECTION OF LUXURY, CAPABILITY AND PERFORMANCE. ONE SHOWROOM OFFERING AN UNPRECEDENTED CHOICE OF CARS, TRUCKS, CROSSOVERS AND SUVs.

—

ENTER AND DISCOVER WHAT IT MEANS TO DRIVE BEAUTIFUL IN THE BUICK LUCERNE, THE MOST INTELLIGENT LUXURY SEDAN. LEARN THE REWARD FOR NEVER SAYING NEVER: THE GMC ACADIA, WITH BETTER HIGHWAY FUEL ECONOMY THAN ANY OTHER EIGHT-PASSENGER CROSSOVER.* OR REKINDLE YOUR LOVE FOR CAR BEHIND THE WHEEL OF THE FIRST-EVER PONTIAC G8 SEDAN, A GAME-CHANGING COMBINATION OF POWER AND PERFORMANCE.

—

EACH BRAND HAS A UNIQUE HERITAGE AND UNWAVERING PURPOSE. TOGETHER, THEY HAVE A SINGULAR FOCUS: TO CREATE THE ULTIMATE DESTINATION TO FIND YOUR PERFECT VEHICLE NOW, AND IN THE FUTURE.

—

—